

Page: **1 of 2**

Concerning: EXTENSION GRANTED

of a type of respiratory protective device pursuant to the Compulsory Specification for respiratory protective devices as published by Government Notice No. R. 407 (Government Gazette No. 34272) of 13 May 2011.

Type approval number: **NRCS/8072/0450**

Extension number: **I**

1 Type-identifying information

Manufacturer's name or trademark that appears on the type of respiratory protective device: **GREENLINE**

Type-identifying name or number that appears on the type of respiratory protective device: **C7001**

Description: **Gas Filter**

Classification: **A1**

Size range: **-**

2 Holder of the approval

Name: **GreenLine Distributors (Pty) Ltd**

SARS Importers Code: **25511740**

Address: **Unit 5 Nuffield Industrial Park, 51 Lear Road, Nuffield, 1559**

3 South African National Standard applicable to the type of respiratory protective device

SANS 54387:2007: *'Respiratory protective devices – Gas filter(s) and combined filter(s) - Requirements, testing, marking'*

4 Terms and conditions of issue

- 4.1 This Letter of Authority certificate is applicable only to the type of respiratory protective device as identified herein.
- 4.2 Every modification and/or addition to the type of respiratory protective device itself, its control of conformity of production, its design and materials, marking, packaging material and information for users that shall accompany it when placed on the market as required by the appropriate South African National Standard, shall be formally notified accordingly to the NRCS prior to its implementation.
- 4.3 The approval for the type of respiratory protective device identified in this Letter of Authority certificate may be withdrawn at any time without prior notice if the requirements of the Compulsory Specification have not been maintained.
- 4.4 This Letter of Authority certificate remains the property of the NRCS and may not be transferred to another entity.


5 Extension granted

Place: **Pretoria**

Date: **11/04/2025**



**M. E. Phalatse (Mrs.)
Acting Manager: Approvals
NRCS Approvals Division**



**T. A. Moko (Ms.)
Candidate Inspector: Approvals
NRCS CMM Division**



Head Office

SABS Campus 1 Dr Lategan Road Groenkloof Pretoria

✉ NRCS Private Bag X25, Brooklyn 0075

☎ Tel +27 12 428 5000 • Sharecall 0860 722 700 • Fax +27 12 428 5199

@ Web www.nrcs.org.za

https://nrscorgza-my.sharepoint.com/personal/thabang_moko_nrsc_org_za/Documents/Documents/Inspection Files/Respiratory Protective Devices/2025/TF8072-2025-32/NRCS-8072-0450 ext 1.doc

6. **Manufacturer**

Name: **Xiamen Safety Protection Equipment Co, Ltd**

Address: **14F-798, NO.809 Songyu Middle Road, Xiamen Area of China (Fujian) Pilot Free Trade Zone**

7. **Reference documents**

The following documents, bearing the type approval number shown below, are attached to this Letter of Authority certificate:

- **Drawings, diagrams, plans and photographs of the type of respiratory protective device;**
- **Details of the marking of the type of respiratory protective device;**
- **Information for users for the type of respiratory protective device;**
- **Details of the body that will undertake control of conformity for the type of respiratory protective device;**
- **Details of the schedule for control of conformity for the type of respiratory protective device;**
- **Minimum requirements for satisfactory arrangements for conformity of production and routine tests.**

---OOO---